



### **Georgia II Collection Concealed Valve Dual 2 Outlet**

GE-D2-CH

Specification				
Finish	Chrome			
Min Operating Pressure	1 Bar			
Thermostaically Controlle	ed Yes			
Fitting	EasyFit Box			
Connection	G1/2"			







#### Notes

**Key Features + Benefits** 



Years Warranty

### Aqualla Brassware

Unit 3 & 4 16 Crawfordsburn Road Newtownards County Down BT23 4EA. Technical Support – Tel: +44 (0) 28 9182 8000 Email: support@aquallabrassware.com


All information on the data sheet is correct at the time of publication. All measurements are approximate and subject to standard tolerances. 18 Year Warranty on purchases from 1st March 2025 (T&Cs Apply)



**EasyFit Box** D2-Body

Specification	
Fitting	Integrated Mounting Brackets
Orientation	Vertical & Horizontal
Connection	G½"





#### Notes

**Key Features + Benefits** 



Years Warranty

Aqualla Brassware
Unit 3 & 4 16 Crawfordsburn Road Newtownards County Down BT23 4EA. Technical Support – Tel: +44 (0) 28 9182 8000 Email: support@aquallabrassware.com

All information on the data sheet is correct at the time of publication. All measurements are approximate and subject to standard tolerances. 18 Year Warranty on purchases from 1st March 2025 (T&Cs Apply)







### **Curved Shower Arm CSA**


**Specification** 

Finish Chrome, Brushed Bronze,

Gunmetal Grey, Matt Black, Brushed Nickel, Brushed

Connection G 1/2"





Notes

**Key Features + Benefits** 



Years Warranty

#### Aqualla Brassware

Unit 3 & 4 16 Crawfordsburn Road Newtownards County Down BT23 4EA. Technical Support – Tel: +44 (0) 28 9182 8000 Email: support@aquallabrassware.com

All information on the data sheet is correct at the time of publication. All measurements are approximate and subject to standard tolerances. 18 Year Warranty on purchases from 1st March 2025







### Georgia Brass Shower Head 200mm **GS20**

Specification					
Finish	Chrome				
Connection	G 1/2"				
Flow Restrictor	Yes				
Min Operating Pres	sure 0.5 E	3ar			
Max Operating Pres	ssure 5.0 E	Bar			
Flow Rates					
Pressure	0.5	1	3	5	
Flow Aerator	5.0	6.8	8.0	7.8	







#### Notes

**Key Features + Benefits** 



Years Warranty

#### Aqualla Brassware

Unit 3 & 4 16 Crawfordsburn Road Newtownards County Down BT23 4EA. Technical Support - Tel: +44 (0) 28 9182 8000 Email: support@aquallabrassware.com


All information on the data sheet is correct at the time of publication. All measurements are approximate and subject to standard tolerances. 18 Year Warranty on purchases from 1st March 2025



# Georgia Slide Rail Kit

Specification							
Finish	Chro	Chrome					
Dimensions	700(h	700(h) x 162(d)					
Connection	G 1/2"						
Min Operating Pressure 0.5 Bar							
Max Operating Pressure 5.0 Bar							
Flow Rates							
Pressure	0.5	1	3	5			
Flow Aerator	3.9	5.6	7.7	7.5			





#### Notes

**Key Features + Benefits** 



Years Warranty

Aqualla Brassware
Unit 3 & 4 16 Crawfordsburn Road Newtownards County Down BT23 4EA. Technical Support – Tel: +44 (0) 28 9182 8000 Email: support@aquallabrassware.com

All information on the data sheet is correct at the time of publication. All measurements are approximate and subject to standard tolerances. 18 Year Warranty on purchases from 1st March 2025

